

Milk system cleaner

Mini tabs for preparing milk system cleaning solution

UFI: DW10-90XW-H000-DFHG

Mode of action

Alkaline cleaning tablets especially developed for JURA fully automatic coffee machines for thorough removal of milk fat and deposits. The formulation is tailored to use in JURA fully automatic coffee machines and ensures effective while gentle cleaning, thereby extending the life of your coffee machine. The Mini tabs can also be used for other devices such as milk frothers.

Properties

Tablet, cylindrical
Colour: off white
Neutral odour
Height: 2.9 mm ± 0.2 mm
Diameter: 3.0 mm
Weight: 0.30 g ± 0.01 g (10 pcs)
Soluble in water.
Dissolving time (> 90 %): < 1:30 min (3.0 g in 200 ml water at 40 °C)

Ingredients

(according to regulation (EC) No 648/2004)

CITRIC ACID
SODIUM CARBONATE
SODIUM CITRATE
SODIUM SULFATE
SODIUM CARBONATE PEROXIDE
SODIUM LAURYL SULFATE
CETEARETH-25
MAGNESIUM STEARATE
TAED

For more information on the ingredients please click [here](#).

Usage:

Dissolve one mini tabs dosing unit in 250 ml water or place one mini tabs dosing unit in the container for automatic milk system cleaning (see also jura.com/mini-tabs).

Packing units

Bottle of 30 g
Bottle of 90 g, Refill bottle of 90 g
Bottle of 180 g, Refill bottle of 180 g

Art. No.:

74469, 24157, 24158, 24211, 24212

Toxicological and ecological information

The product is classified as irritant, i. e. short, frequently or prolonged contact with eyes may cause inflammations. The product complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Handling, storage and disposal considerations

Keep container tightly closed, protect against humidity, water and heat.

Waste code product: 20 01 29

Hazards identification

Warning

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing dust/vapours/spray.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container in accordance with local regulations.

First aid measures

In case of accident or if you feel unwell, seek medical advice immediately (show directions for use or safety data sheet if possible).

General information: No special measures required.

After inhalation: Supply fresh air.

After skin contact: Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

If symptoms persist, consult a doctor.

JURA Elektroapparate AG
Kaffeeweltstrasse 10
CH-4626 Niederbuchsiten
Tel.: +41 (0) 62 389 82 33
www.jura.com

JURA Elektrogeräte Vertriebs-GmbH
Postfach 99 01 44
D-90268 Nürnberg
Tel: 0180 3 523 333
www.de.jura.com

JURA Gastro Vertriebs-GmbH
An der Zugspitze 1
D-82491 Grainau
Tel.: +49 (0) 8821 966 73-0
www.juragastroworld.de